GENERAL INDEX.

⁂ The more important classified entries will be found under the following heads: *Diseases, Geographical Distribution, Hosts, Journals, Necrology, Personals, Reviews.*

⁂ Names of synonyms are printed in *Italics;* names of new species in **boldface;** † signifies death.

A

A. A. A. S., Washington meeting, 157; botanical papers, 243, 255, 282, 303; Botanical club, 261.
Abelmoschus moschatus, 139.
Absorption of fluids, 260.
Acer dasycarpum, 233; rubrum, 233.
Achlya, 72, 73; polyandra, 72.
Achroanthes, 322.
Actinella linearifolia, 28; odorata, 27; Rusbyi, 27; **Texana,** 27.
Ecidium **Chrysopsidis,** 48, 85; **Cleomis,** 48; **Liatridis,** 47, 85; Trifolium-repentis, 290.
Africa, biological expedition to, 273.
Agave rigida, 131.
Agoseris, 322.
Agricultural, Department, division of botany, 92, 259; division of forestry, 188; Science, Society for promotion of, 35.
Agrimonia parviflora, var. **macrocarpa,** 3.
Agrostis, alpina, 288; geminata, 288.
Alabama, plants of, 61, 263, 282, 313.
Aleuria **asterigma,** 15.
Aleurites triloba, 141.
Aleurone grains, method of preparation, 93.
Allium Nevii 288.
Alopecurus geniculatus, 288.
Alternaria, 62
Amelanchier alnifolia, 266.
Amphiachyris dracunculoides, 148.
Anacardium occidentale, 140.
Anachoropteris Decaisnei, 172.
Ananassa sativa 131.
Andromeda polifolia, 230.
Andropogon macrourus, var. **pumilus,** 27.
Aneura, 324.
Angelica Lyallii, 287.
Anguria **diversifolia,** 10; longipedunculata, 10; **oblongifolia,** 9.
Anona Cherimolia, 137; reticulata, 137; squamosa, 137.
Antennaria luzuloides, 287.
Anthoceros, 324; laevis, 143.
Aphanostephus **Pinnulensis,** 98.
Apios tuberosa, 233.
Aplopappus Lyallii, 287; stoloniferus var. **glabratus,** 98.
Apocynum cannabinum, 70.
Apodanthes Blanchetti, 84; **globosa,** 83; **Pringlei,** 83.
Apple leaves, fungus disease on, 265.
Aquatic monocots, leaves of, 305.
Aquilegia Canadensis, 229.
Arabis Drummondii, 229; Macounii, 286.
Aralia quinquefolia, 232.
Arboretum, a national 262.
Archangelica atropurpurea, 231.
Archegoniata, phylogeny of, 257, 323.
Arctostaphylos pungens, var. **cratericola,** 13; Uva-Ursi, 232.
Arenaria tenella, 286.
Arethusa bulbosa, 230.
Arisæma triphyllum, 164.
Arnica cordifolia, 287; latifolia, 287; Parryi, 287.
Arrow-weeds of Mexico, 262.
Artocarpus incisa, 139; integrifolia, 139.
Arundo, 135.
Asarum caudatum, 287.
Aspidium adscendens, 14; fragrans, 111.
Assimilation, simultaneous evolution of O and CO^2, 273.
Aster, **Orcuttii,** 113; pauciflorus, 148; stenomeres, 287.
Asterella, 325; hemispherica, 142
Asterophyllites Williamsonis, 173.
Astragalus alpinus, 229.
Atrichum angustatum, 206; Selwyni, 206; undulatum, 206.
Atriplex **corrugata,** 345.
Australian A. A. S., 93.
Averrhoa Bilimbi, 140.
Ayenia **Wrightii,** 340.

B

Bacteria, of cucurbits, 257; 303; test for excretion of acids, 320.
Bacterial disease of cabbages, 265; of oats, 257.
Bacteriology, use of fermentation tube in, 259.
Barbula *megalocarpa,* 206; ruralis, 206.
Baryeidamia parasitica, 263.
Bassovia **Donnell-Smithii,** 145; macrophylla, 145; Mexicana, 145.
Beans, tubercles on roots, 158.
Besleria onogastra, 197; **Pansamalana,** 197.
Bicollateral bundles, 308.
Bidens **Antiguensis,** 100; connata, 148; heterosperma, 100; leucantha, 100.
Biology, use of word, 32, 89.
Bixa orellana, 140.
Blighia sapida, 138.
Bocconia integrifolia, 1; **vulcanica,** 1.
Botanical Division, 92; field work of, 259.
Botrychium, apical growth in roots, 37; simplex, 230.
Bouteloua **uniflora,** 26.
Bowmannites Dawsoni, 175.
Brachistus **Escuintlensis,** 144.
Brasenia peltata, 230.
Brazil, Agricultural College, 274.
Bremia Lactucæ, 339.
Brickellia Hartwegi, 98; **Pacayensis,** 98.
Bromelia Pinguin, 35.
Bruchia Hallii, 207.
Bryophytes, relationships of, 323.
Buddleia **Wrightii,** 341.

C

Cabbages, bacterial disease of, 265.
Cajanus Indicus, 140.
Calamagrostis **densus,** 147; **kœlerioides,** 147.
Calamarias, 174.
Calamostachys Binneyana, 173.
Calla palustris, 231.
Callæolepium Warscewiczii, 196.
Calopogon pulchellus, 230.
Caltha palustris, 231.
Calypso borealis, 230, 241, 296.
Calystegia sepium, 233.
Camelina sativa, 233.
Campanula Americana, 70; aparinoides, 233; rotundifolia, 112.
Campbell, D. H., appointment, 156.
Camptosorus rhizophyllus, 112.
Canbya, 160.
Carphoxera ptelearia, a new herbarium pest, 263, 334.
Cardamine bellidifolia, 286.
Carex chordorhiza, 230; Houghtonii, 229; irrigua, 231; lacustris, 230; marcida, 288; pauciflora, 230; rostrata, 230; Tolmiei, 288.
Carica Papaya, 138.
Carmen Island, flora of, 258.
Cassandra calyculata, 230, 232.
Casuarina equisetifolia, 133.
Ceanothus, tubercles on roots, 262.
Cecropia peltata, 137.
Celastrus scandens, 231.
Cephaelis dichotoma, 12; **glomerulata,** 12.
Cephalanthus occidentalis, 65.
Cercospora Bolleana, 289; Gossypina, 62, 64.
Cereus grandiflorus, 135; Sargentianus, 320; Swartzii, 135.
Characeæ, relationships of, 323.
Cherry, destructive disease of, 266.
Chorisia **soluta,** 1.
Chrysophyllum Cainito, 140.
Citharexylum **Cinaloanum,** 342.
Citrus decumana, germination of, 179.
Cladonia rangiferina, 112.
Cladosporium, 266; fulvum, treatment of, 265.
Claytonia cordifolia, 286.
Cleistogamy in Polygonum, 273, 314.
Clematis verticillaris, 231; Virginiana, 231.
Clibadium arboreum, 99; **Donnell-Smithii,** 98; Surinamense, 99.
Clidemia **Donnell-Smithii,** 5; laxiflora var. **longipetiolata,** 5.
Clubs, botanical, in California, 296; in Canada, 297.
Coleochæte, 324.
Cnicus arvensis, 157.
Coccoloba uvifera, 136.
Cocos nucifera, 131.
Cœmansiella spiralis, 201.
Coix lachryma, 136.
Coleosporium Viburni, 226.
Collecting, better specimens, 187.
Colletotrichum Gossypii, 62, 289.
Colocasia esculenta, 139.
Columbian Exposition, botanical exhibit at, 264.
Compositæ of Colima, 258; of Guatemala, 95.
Comotherium **ilicinum,** 46.
Conocephalus conicus, 143.
Conostegia **hirtella,** 4; lasiopoda, 5.
Continuity of protoplasm in Batrachospermum, 149.
Corallorhiza innata, 232; multiflora, 232.
Cordyceps unilateralis, 203.
Cornus Baileyi, 118; pubescens, 118, 287; stolonifera, 118.
Corydalis glauca, 231.
Coscinodon Raui, 207.
Cotton, black rust of, 61; fungus diseases of, 265.
Coulter, J. M., appointment, 156.
Coursetia **axillaris,** 180, 217.
Crepis runcinata, 287.
Crescentia Cujete, 140.
Croton capitatum, 149.
Cryptotaenia Canadensis, 299.
Currant canes, a new disease of, 262.
Cucurbits, bacteria of, 257, 303.
Cupressinoxylon, 91.
Cyathea arborea, 133.
Cyperus Engelmanni, 128.
Cypripedium acaule, 241; arietinum, 241; spectabile, 232.
Cystopteris fragilis, 111.
Cystopus candidus, 340; Ipomœae-panduratae, 340; Portulacae, 340.

D

Daisy, monstrous form of, 150.
Dalechampia scandens, var. **trisecta,** 199.
Daphnopsis **Tuerckheimiana,** 13.
Darkness, influence on form, 343.
Delphinium simplex, 285.
Desmideæ of Brazil, 158.
Desmidiospora myrmecophila, 203.
Deyeuxia Canadensis, 288; glomerata, 288.
Diastase in green leaves, 320.
Dicranum hyperboreum, 207; palustre, 205; scoparium, 205.
Dieffenbachia Seguine, 134.
Dionæa, movement of, 258.
Dioscorea, 139.
Diseases: apple leaves, 265; cabbages, 265; cherry, 266; cotton, 61, 265; cucurbits, 257, 303; currant canes, 262; oats, 257; pear blight, 259; sweet potato, 257; tomatoes, 265.
Distichlis maritima, 275; prostrata, 277; thalassica, 277.
Dothiorella **Nelumbii,** 46.
Douglasia arctica, 34.
Draba nivalis, 286.
Drosera anglica, 217.
Dysodia chrysanthemoides, 148.

E

Economic botany, possibilities of, 255.
Edraxylon, 174.
Embryo of Osmunda, 256.
Encelia *cordata,* 100; *fertida* 100; *heterophylla,* 100; Mexicana, 100; *subaristata,* 100.
Entada scandens, 137.
Entomosporium maculatum, 290.
Epichloe typhina, 284.
Epilobium clavatum, 286.
Epipactis gigantea, 288; helleborine, 287.
Equisetineæ, relationships of, 323.
Equisetum, 329.
Eragrostis **spicata,** 146.
Erigeron Tweedyana, 237.
Eriocaulon septangulare, 230.
Eriodendron anfractuosum, 133.
Eriogonum niveum, 287.
Eriogynia caespitosa, 237; **Hendersonii,** 236.
Eriophorum alpinum, 230.
Erodium cicutarium, 148.
Erythræa **Pringleana,** 85.
Erythronium, 294; mesochoreum, 294.

Eupatorium ageratifolium var. **purpureum,** 98; azureum, 96; ciliatum, 96; **Donnell-Smithii,** 95; var. **parvifolium,** 96; **lyratum,** 96; populifolium, 97; **Rafaelense,** 97; rigidum, 98; Tuerckheimii, 97.
Euphorbia antiquorum, 135.
Everhartia hymenuloides, 204; **lignatilis,** 204.
Experiment station botanists, 288; bulletins, 91, 156, 184, 189.

F

Fabronia pusilla, 207.
Fasciation in Cnicus, 236.
Filicineæ, relationships of, 323.
Fimbristemma **calycosa**, 196; gonoloboides, 196.
Flowers and insects, 65, 312.
Fluids, absorption of 260; movement of, 260.
Fomes **Ellisianus,** 113; fraxinophilus, 114.
Fragaria Virginiana, 286.
Frankia, 202.
Fraxinus, 165.

G

Galactia **discolor,** 194; Jussiaeana, 194.
Gases in plants, 260.
Geographical Distribution: Alabama, 61, 263, 282, 313; Canada, 285; Carmen Is., 258; Colima, 258; Guatemala, 1, 95, 144, 191; Illinois, 347; Maine, 228; Mexico, 340; Montana, 45; St. Croix, 108, 126; West Indies, 130.
Geotropism, apparatus to show, 147.
Gnaphalium decurrens, 287.
Gollonema heterophyllum, 267.
Gonatorrhodiella parasitica, 202.
Gonatorrhodum, 202.
Goodale, G. L., return of, 188.
Goodyera pubescens, 232; repens, 232.
Gramineæ, anatomical characters of, 166, 219, 275.
Gravity, influence on sleep movements, 343.
Guatemala, plants of, 1, 95, 144, 191.
Guilandina Bonducella, 136.
Gurania **Donnell-Smithii,** 10; Levyana, 11.
Gutierrezia Texana, 148.
Gymnosperms, 174; relationships of, 323.
Gynoxys *Hœnkei*, 102.

H

Habenaria blepharigiottis, 230; Hookeri, 232; hyperborea, 232; orbiculata, 232.
Haematoxylon Campechianum, 137.
Halonia, 173.
Halorageae, 294.
Haplotrichum *fimetarium*, 19; *glomerulosum* 16; *roseum*, 16.
Helenium nudiflorum, 148; tenuifolium, 149.
Helianthus annuus, pollination of, 234; mollis, 312.
Helicocephalum sarcophilum, 201.
Heliotium **Montaniense**, 45.
Hemicarpha subsquarrosa, 128.
Hemizonella Durandi, 287.
Henrya costata, 198; **imbricans,** 198; scorpioides, 198.
Herbarium, new pest of, 263, 334; the Parry, 297; specimens, better, 187; labelling, 33, 267.
Heredity in plant hybrids, 255.
Heterangium Grievii, 175.
Heterocodon rariflorum, 287.
Heteropteris cotinifolia, 2; **retusa,** 2.
Heuchera **Williamsii,** 237.
Hibiscus Sabdariffa, 140.
Hippomane mancinella, 141.
Hoffman, H. †, 350.
Hosts: Alyssum, 339, 340; Ampelopsis, 338; Anemone, 338; ant, 203; Arundinaria, 282, Cardamine, 339; Carex, 226; Cassia, 313; Chrysopsis, 48; Cleome, 48; cotton, 61; Cyperus, 227; Gentiana, 227; Geranium, 338, 339; Hypocrea, 202; Hypomyces, 202; Ipomœa, 340; Juniperus, 184; Lactuca, 208; Liatris, 48; Nelumbium, 46; Potentilla, 339, 340; Quercus, 297; quince, 184; Rumex, 225; service-berry, 184; Setaria, 338; Shepherdia, 113; Stipa, 225; Tephrosia, 314; Viburnum, 226.
Houstonia purpurea, 113, 229.
Hura crepitans, 133.
Hybrids, anatomical characters of, 59; heredity in plant, 255.
Hydrastis Canadensis, 73, 122.
Hymenophyllum, 326.
Hyphomycetes, North American, 14, 201.
Hypnum Brewerianum, 207; colpophyllum, var. **flagelliforme,** 207; crispifolium, 206; Nuttallii, 207; pinnatifidum, 207; pygmaeum, 206; *ramulosum*, 206.
Hypocrea, 202; *tuberiformis*, 256, 282.
Hypocrella tuberiformis, 284
Hypomyces, 202

I

Illinois, plants of, 347.
Indiana Academy of Science, 36.
Insects and flowers, 176; mutilation of flowers by, 312.
Iris heagona, 347.
Isoeteæ, relationships of, 323.
Isopyrum biternatum, 285.

J

Jacksonia, 322.
Jambosa vulgaris, 139.
Janipha Manihot, 139.
Jeffersonia diphylla, 164.
Journals: American Naturalist, 189; American Chemical Journal, 92; American Garden, 156; Atti Institut. Bot. Pavia, 60; Atti Soc. Ital. 156; Annales des Sci. Naturelles, 60, 298, 305, 308; Botan. Centralblatt, 58, 92, 93, 94; Botaniska Notiser, 156; Botanische Zeitung, 34, 158; Bulletin Soc. Bot. de France, 34; Bulletin Swiss Bot. Soc. 158; Bulletin Torrey Bot. Club, 35, 89, 91, 189, 294, 295; Centralblatt fuer Bakteriologie, 218; Cincinnati Soc. Nat. Hist. 295; Deutsche Bot. Monatsschrift, 59; Education, 120; Gardener's Chronicle, 59, 156; Garden and Forest, 34, 157; Grevillea, 157, 158; Journal of Botany, 58, 59, 91, 156, 188, 189, 242; Journal de Botanique, 34, 184; Le Botaniste, 155; Pharmaceutische Rundschau, 91; Pittonia, 89, 322; Pringsheim's Jahrbuecher fuer wiss. Botanik, 60; Proceedings, of the Boston Soc. Nat. Hist. 295; Proceedings of the Phila. Acad. Sci. 56; Revue general de Botanique, 155, 189, 305; Transactions Kans. Acad. Sci. 157, 186; Transactions of St. Louis Academy Sci. 92; Zoe, 90, 188.
Jumping seeds of Mexico, 262.
Juncus pelocarpus, 128.
Jussiaea Peruviana var. **glaberrima,** 6; pilosa var. **robustior,** 6.

K

Kalmia glauca, 232; latifolia, 232.
Kelsey, F. D., lectures, 217.
Keteleeria Fortunei, 274.
Kœleria cristata, 147.
Krauhnia, 322.

L

Labiatae, key to N. A. genera 49.
Lactuca sativa, 208.
Laticiferous tissue, 298.
Laurinoxylon, 91.
Leaf-structure of Distichlis and Pleuropogon, 275; of Uniola, 166, 219.
Leaves of aquatic monocots, 305.
Lecithins, biological functions of, 260.
Ledum latifolium, 232.
Leguminosæ, fixation of free nitrogen, 34.
Lentinus **pholiotoides,** 45.
Lepidodendra, 173.
Leskea Austini, 207.
Ligusticum scopulorum, 287.
Limnanthemum lacunosum, 230.
Linaria vulgaris, 157.
Listera cordata, 232.
Lithospernum arvense, 157.
Liverworts, apical growth of, 141; relationships of, 323.
Lobelia cardinalis, 68; Dortmanna, 230; laxiflora, var. **insignis,** 13; spicata, 68; syphilitica, 68, 69.
Lonicera cœrulea; 230.
Luina hypoleuca, 43 44; **Piperi,** 43.
Lycopodineae, 174; relationships of, 323.
Lycopodium inundatum, 230.
Lyginodendron Oldhamium, 174, 175.

M

Macfadyena **simplicifolia,** 198.
Macleania cordata, var. **linearfolia,** 12.
Maclura tinctoria, 137.
Macrosporium **nigricantium,** 62; parasiticum, 62; **puccinioides,** 47.
Madia glomerata, 287; sativa, 287.
Maine, flora of Orono, 228.
Maize, sterility of, 58.
Manchester group of botanists, 215.
Mangifera Indica, 138.
Maranta, 139.
Marchantia, 325; polymorpha, 142, 143.
Meehan's Monthly, 157.
Melanthera hastata, 100; oxylepis, 100.
Masson, Rosine †, 218.
Maximowicz, †, 155.
Melica **multinervosa,** 235.
Melocactus communis, 135.
Melons, bacteria of, 303.
Melothria Donnell-Smithii, 9, var. **hirtellia,** 9, var. **rotundifolia,** 9; scabra, 9.
Menyanthes trifoliata, 230.
Metzgeria, 324.
Mexico, new plants of, 340.
Miconia **Guatemalensis,** 5; **Tuerckheimii,** 5
Micromeria Douglasii, 287.
Microseris nutans, 287.
Microstylis, 322.
Mimosa **affinis,** 341.
Missouri Botanic Garden scholarships, 350.
Mollisia cinerea, 45.
Monarda citriodora, 149.
Moniliа fructigena, 266.
Monochætum **diffusum,** 4.
Monocots, leaves of aquatic, 305.
Monomialism, 215.
Montana, new species of fungi, 45.
Montanoa ovalifolia, 99.
Morong, Thos., appointment, 34.
Mortierella, 201.
Mosses of N. E. America, 90; of North America, 205.
Mounting plants, 57, 121.
Movements, influence of gravity on, 343.
Mucor *glomerulosus*, 16.
Mueller (Thurgau), H., appointment, 58.
Muhlenbergia **Alamosæ,** 146.
Musa paradisiaca, 138; sapientum, 133.
Myrica cerifera, 91.
Myriocarpa longipes var. **Yzabalensis**, 13.
Myrodia **Guatemalteca**. 2; funebris, 2.
Myurella Careyana, 207.
Myxomycetes, collecting and preserving, 263.

N

Naegeli, K. von, †, 242.
Nardosmia palmata, 232.
Nebraska phanerogams, 188.
Necrology: Hoffmann, 350; Masson, 218; Maximowicz, 155; Schomburgk, 217; Von Naegeli, 242.
Nectria, a new, 257; Vandae, 257.
Neea **psychotrioides,** 199; Wiesneri, 199.
Nemopanthes Canadensis, 232.
Neopringlea, 294.
Nephradenia **fruticosa,** 196; neriifolia, 197.
Nephrodium ascendens, 14; duale, 14.
New Zealand, plants of, 273.
Nicotine, development of, 320.
Nitrogen in leaves, relation to light, 321.
Nomenclature, 151, 215, 268, 318.
Notholaena Nealleyi, var. **Mexicana,** 53.
Nuphar advena, 127, 231; luteum, 230.
Nymphaea reniformis, 127.

O

Oats, bacterial disease of, 257.
Œdocephalum albidum, 23; album, 17, 23; alienum, 17, 23; aurantiacum, 23; badium, 23; byssinum, 23; crystallinum, 24; **echinulatum,** 17, 26; *elegans*, 17; *fimetarium*, 24; glomerulosum, 15, 24; hyalinum, 24; laeticolor, 24; pallidium, 17, 25; pyriforme, 24; Preussii, 24; roseum, 17, 24; sulphureum, 25; **verticillatum,** 18, 26.
Oligonema, 267.
Ophioglosseae, 41.
Ophioglossum, 324.
Opuntia coccinellifera, 135; Ficus-indica, 135; spinosissima, 135; Tuna, 135.
Orange tree, a remarkable, 311.
Orcuttia, 145; **Grevenei,** 146.
Oreopanax capitata, 195; **oligocarpum,** 194.
Orobanche racemosa, 262.
Oryzopsis Canadensis, 232.
Osmunda, 230, 325; apical growth in roots, 37; cinnamomea, 256; Claytoniana, 256.
Ovules, 92.

P

Pachystima Canbyi, 90; in cultivation, 187.
Palmer, Ed., collections of, 156, 242.
Panicum clandestinum, sterile flowers, 346.
Papaver nudicaule, 285.
Parasites, classification of phanerogamous, 297.

Parathesis melanosticta, 195; **pleurobotryosa,** 195; **sessilifolia** 195.
Parnassia palustris, 58; staminodes, 58.
Parthenium Hysterophorus, 149.
Passiflora **allantophylla,** 7; **clypeophylla,** 6; **dictophylla,** 8; **ornithoura,** 8; **transversa,** 7.
Paullinia **scarlatina,** 193.
Peach yellows, 322.
Pear blight, 259.
Peary, Lt. R. E., expediton of, 190.
Peat bogs in N. B., 123.
Pedicularis Canadensis, 231.
Pellia, 324.
Pentstemon **Haydeni,** 311.
Peronospora Cubensis, 339; effusa, 339; ganglifórmis, 208; parasitica, 340; Potentillae, 339.
Peronosporeae, 338.
Persea gratissima, 138.
Personals: Anderson (F.W.), 90; Arthur (J. C.), 274; Bailey (L.H.), 156, 274; Barnes (C.R.), 122; Berlese (A.N.), 188; Bolley (H. L.), 156; Brandza (M.), 155; Britton (Dr. & Mrs.), 188; Campbell (D.H.), 158; Cockerell (T. D. A.), 156; Cook (O. F.), 273; Cooke (M.C.), 156; Coulter (J.M.), 156, 217; Darwin (F.), 320; Davenport (G. E.), 320; Deane (W.), 156; Foerste (A.), 350; Goebel (K.), 297; Goodale (G.L.), 93, 188, 320; Halsted (B. D.), 273; Hill (E. J.), 34; Holm (Th.), 273; Kelsey (F.D.), 217; King (T.), 273; Knowlton (F.H.), 273; Koehne (E.), 189; Kohl (F. G.), 350; Krossnoff (A.), 273; Macfarlane (J.M.), 273; Macloskie (G.), 217; Masson (R.),218; Maximowicz, 155; Meehan (T.), 157; Meyer (A.), 350; Morong (T.), 34; Mueller-Thurgau (H.), 58; Naegeli (K.), 242; Palmer (Ed.), 156, 242; Pringle (C.G.), 58; Robinson (B.L.), 188; Schimper (A. W.), 319; Schomburgk (R.), 217; Seaton (H.E.), 217; Setchell (W.A.), 188; Smith (E.F.), 322; Stapf (O.), 90; Sturgis (W.C.), 188; Thaxter (R.), 188; Toumey (J.W.), 242; Underwood (L.M.), 188, 189, 321; Wilson (W.P.), 58; Wortmann (J.), 58.
Pestalozziella **Andersoni,** 48.
Peucedanum bicolor, 286.
Peziza 15; arenaria, 22.
Phalaris arundinacea, 230.
Phloem, relations of, 308.
Phoma **ilicina,** 46.
Phyllotaxy abnormal, 159.
Phylogeify of Archegoniata, 257, 323.
Phytophthora infestans, 338.
Pimenta acris, 139; vulgaris, 139.
Pinus **Donnell-Smithii,** 199, 319.
Pisonia aculeata var. **macranthocarpa,** 198.
Plantago lanceolata, 157.
Plasmopara Geranii, 338; pygmaea, 338; viticola, 338.
Pleuropogon Californicum, 279; refractum, 278; Sabinei, 280.
Pogonia ophioglossoides, 230.
Poinciana regia, 133.
Poisoning plants, 189.
Potsonous action of distilled water, 274.
Polanisia, 322.
Polygonum acre, cleistogamy of, 273, 314.
Polyporus annosus, 15; officinale, 263.
Pontederia cordata, 230.
Postage on plants, 218.
Potamogetonaceae, 305.
Potamogeton crispus, 288; pectinatus, 127; perfoliatus var. 127; praelongus, 127; Robbinsii, 127; Spirillus, 127, 128.
Potentilla dissecta, 3; **Donnell-Smithii,** 3; Ehrenbergiana, 3; palustris, 230; Richardii, 3; tridentata, 229.
Pringle's collections, 58.
Prizes, botanical, 321.
Prothallium of Osmunda, 256.
Protoplasm, structure of living, 306.
Prunus Pumila, 229.
Psidium Guava, 138.
Psilostrophe, 322.
Psychotria Martiana, 12.
Pteridophytes, relationships of, 323.
Puccinia Caricis-strictae, 226; **Cyperi,** 226; **medusaeoides.** 226; ornata, 225; Stipae, synonymy of, 225.
Pyrrhopppus, 322.

Q

Quercus heterophylla, 263.

R

Rachiopteris, 172; aspera, 174; Grayi, 173; hirsuta, 173.
Ranunculus Flammula, 129, 130, 233; glaberrimus, 346; hederaceus, 285; hispidus, 285; lacustris, propagation of, 115; Macauleyi, 346.
Raphides, cause of acridity, 267.
Ravenelia **Cassiaecola,** 313; glandulaeformis, 314.
Respiration, simultaneous evolution of O and CO^2, 273.
Reviews: *Atzeling:* Introduction to the study of botany, 211; *Bailey:* The nursery book, 185; *Baillon:* Histoire des plantes, 183; *Bergen:* Glimpses at the plant world, 317; *Brotherus & Sælan:* Musci Lapponiae Kolaenses, 271; *Campbell:* Isoetes echinospora, 349; *Coulter:* Flora of Texas, 268; *Drude:* Handbuch der geographische Botanik, 153; *Eggert:* Catalogue of St. Louis plants, 350; *Ellis & Everhart:* N. American Pyrenomycetes, 121; *Engelmann:* Botanisches Adressbuch, 217, 240; *Farlow & Seymour:* Host Index, 271; *Gray:* Revised manual, 90, 211; Forest trees of North America, 240; *Greene:* Flora Franciscana, 185; *Griffiths:* Diseases of crops, 120; *Hackel:* Grasses of dry climates, 87; *Higley & Raddin:* Flora of Cook county, Ills., 271; *Hillhouse:* Practical Botany, 210; *Hitchcock:* Catalogue of plants of Ames, Iowa, 88; *Holm:* Germination of some N. A. plants, 185; Underground structures of plants, 89; Vitality of annual plants, 350; *Jesup:* Flowering plants and higher cryptograms of Hanover, N. H., 186; *Kihlman:* Pflanzenbiologische Studien aus Russisch Lappland, 153; *Lazenby & Werner:* Catalogue of Ohio plants, 56; *Macoun:* Catalogue of Canadian plants, 32; *MacLeod:* Fertilization of flowers, 57; *Mix:* On a Kephir-like yeast, 270; *Pearson:* Canadian Hepaticae, 32; *Penhallow:* Botanical collector's guide, 317; *Richards:* Structure and development of Choreocolax, 270; *Richter:* Plantae Europaeae, 152; *Robinson:* Contributions from Gray Herbarium, 294; *Rose:* Contributions from National Herbarium, 293; *Sacardo:* Sylloge Fungorum, 316; *Sargent:* Silva of N. A., 30; *Sauvageau:* Sur les feuilles de quelques monocotyledons aquatiques,242,

K

Kalmia glauca, 232; latifolia, 232.
Kelsey, F. D., lectures, 217.
Keteleeria Fortunei, 274.
Kœleria cristata, 147.
Krauhnia, 322.

L

Labiatae, key to N. A. genera 49.
Lactuca sativa, 208.
Laticiferous tissue, 298.
Laurinoxylon, 91.
Leaf-structure of Distichlis and Pleuropogon, 275; of Uniola, 166, 219.
Leaves of aquatic monocots, 305.
Lecithins, biological functions of, 260.
Ledum latifolium, 232.
Leguminosæ, fixation of free nitrogen, 34.
Lentinus **pholiotoides,** 45.
Lepidodendra, 173.
Leskea Austini, 207.
Ligusticum scopulorum, 287.
Limnanthemum lacunosum, 230.
Linaria vulgaris, 157.
Listera cordata, 232.
Lithospernum arvense, 157.
Liverworts, apical growth of, 141; relationships of, 323.
Lobelia cardinalis, 68; Dortmanna, 230; laxiflora, var. **insignis,** 13; spicata, 68; syphilitica, 68, 69.
Lonicera cœrulea; 230.
Luina hypoleuca, 43, 44; **Piperi,** 43.
Lycopodineae, 174; relationships of, 323.
Lycopodium inundatum, 230.
Lyginodendron Oldhamium, 174, 175.

M

Macfadyena **simplicifolia,** 198.
Macleania cordata, var. **linearfolia,** 12.
Maclura tinctoria, 137.
Macrosporium **nigricantium,** 62; parasiticum, 62; **puccinioides,** 47.
Mædia glomerata, 287; sativa, 287.
Maine, flora of Orono, 228.
Maize, sterility of, 58.
Manchester group of botanists, 215.
Mangifera Indica, 138.
Maranta, 139.
Marchantia, 325; polymorpha, 142, 143.
Meehan's Monthly, 157.
Melanthera hastata, 100; oxylepis, 100.
Masson, Rosine, †, 218.
Maximowicz, †, 155.
Melica **multinervosa,** 235.
Melocactus communis, 135.
Melons, bacteria of, 303.
Melothria Donnell-Smithii, 9, var. **hirtellia,** 9, var. **rotundifolia,** 9; scabra, 9.
Menyanthes trifoliata, 230.
Metzgeria, 324.
Mexico, new plants of, 340.
Miconia **Guatemalensis,** 5; **Tuerckheimii,** 5
Micromeria Douglasii, 287.
Microseris nutans, 287.
Microstylis, 322.
Mimosa **affinis,** 341.
Missouri Botanic Garden scholarships, 350.
Mollisia cinerea, 45.
Monarda citriodora, 149.
Monilia fructigena, 266.
Monochætum **diffusum,** 4.
Monocots, leaves of aquatic, 305.
Monomialism, 215.
Montana, new species of fungi, 45.
Montanoa ovalifolia, 99.
Morong, Thos., appointment, 34.
Mortierella, 201.
Mosses of N. E. America, 90; of North America, 205.
Mounting plants, 57, 121.
Movements, influence of gravity on, 343.
Mucor *glomerulosus*, 16.
Mueller (Thurgau), H., appointment, 58.
Muhlenbergia **Alamosæ,** 146.
Musa paradisiaca, 138; sapientum, 133.
Myrica cerifera, 91.
Myriocarpa longipes var. **Yzabalensis,** 13.
Myrodia **Guatemalteca,** 2; funebris, 2.
Myurella Careyana, 207.
Myxomycetes, collecting and preserving, 263.

N

Naegeli, K. von, †, 242.
Nardosmia palmata, 232.
Nebraska phanerogams, 188.
Necrology: Hoffmann, 350; Masson, 218; Maximowicz, 155; Schomburgk, 217; Von Naegeli, 242.
Nectria, a new, 257; Vandae, 257.
Neea **psychotrioides,** 199; Wiesneri, 199.
Nemopanthes Canadensis, 232.
Neopringlea, 294.
Nephradenia **fruticosa,** 196; neriifolia, 197.
Nephrodium ascendens, 14; duale, 14.
New Zealand, plants of, 273.
Nicotine, development of, 320.
Nitrogen in leaves, relation to light, 321.
Nomenclature, 151, 215, 268, 318.
Notholaena Nealleyi, var. **Mexicana,** 53.
Nuphar advena, 127, 231; luteum, 230.
Nymphaea reniformis, 127.

O

Oats, bacterial disease of, 257.
Œdocephalum albidum, 23; album, 17, 23; alienum, 17, 23; aurantiacum, 23; badium, 23; byssinum, 23; crystallinum, 24; **echinulatum,** 17, 26; *elegans*, 17; *fimetarium*, 24; glomerulosum, 15, 24; hyalinum, 24; laeticolor, 24; pallidium, 17, 25; pyriforme, 24; Preussii, 24; roseum, 17, 24; sulphureum, 25; **verticillatum,** 18, 26.
Oligonema, 267.
Ophioglosseae, 41.
Ophioglossum, 324.
Opuntia coccinellifera, 135; Ficus-indica, 135; spinosissima, 135; Tuna, 135.
Orange tree, a remarkable, 311.
Orcuttia, 145; **Greenei,** 146.
Oreopanax capitata, 195; **oligocarpum,** 194.
Orobanche racemosa, 262.
Oryzopsis Canadensis, 232.
Osmunda, 230, 325; apical growth in roots, 37; cinnamomea, 256; Claytoniana, 256.
Ovules, 92.

P

Pachystima Canbyi, 90; in cultivation, 187.
Palmer, Ed., collections of, 156, 242.
Panicum clandestinum, sterile flowers, 346.
Papaver nudicaule, 285.
Parasites, classification of phanerogamous, 297.

Parathesis melanosticta, 195; **pleurobotryosa,** 195; **sessilifolia** 195.
Parnassia palustris, 58; staminodes, 58.
Parthenium Hysterophorus, 149.
Passiflora **allantophylla,** 7; **clypeophylla,** 6; **dictophylla,** 8; **ornithoura,** 8; **transversa,** 7.
Paullinia **scarlatina,** 193.
Peach yellows, 322.
Pear blight, 259.
Peary, Lt. R. E., expediton of, 190.
Peat bogs in N. B., 123.
Pedicularis Canadensis, 231.
Pellia, 324.
Pentstemon **Haydeni,** 311.
Peronospora Cubensis, 339; effusa, 339; gangliformis, 208; parasitica, 340; Potentillae, 339.
Peronosporeae, 338.
Persea gratissima, 138.
Personals: Anderson (F.W.), 90; Arthur (J. C.), 274; Bailey (L.H.), 156, 274; Barnes (C.R.), 122; Berlese (A.N.), 188; Bolley (H. L.), 156; Brandza (M.), 155; Britton (Dr. & Mrs.), 188; Campbell (D.H.), 158; Cockerell (T. D. A.), 156; Cook (O. F.), 273; Cooke (M.C.), 156; Coulter (J.M.), 156, 217; Darwin (F.), 320; Davenport (G. E.), 320; Deane (W.), 156; Foerste (A.), 350; Goebel (K.), 297; Goodale (G.L.), 93, 188, 320; Halsted (B. D.), 273; Hill (E. J.), 34; Holm (Th.), 273; Kelsey (F.D.), 217; King (T.), 273; Knowlton (F.H.), 273; Koehne (E.), 189; Kohl (F. G.), 350; Krossnoff (A.), 273; Macfarlane (J.M.), 273; Macloskie (G.), 217; Masson (R.), 218; Maximowicz, 155; Meehan (T.), 157; Meyer (A.), 350; Morong (T.), 34; Mueller-Thurgau (H.), 58; Naegeli (K.), 242; Palmer (Ed.), 156, 242; Pringle (C.G.), 58; Robinson (B.L.), 188; Schimper (A. W.), 319; Schomburgk (R.), 217; Seaton (H.E.), 217; Setchell (W.A.), 188; Smith (E.F.), 322; Stapf (O.), 90; Sturgis (W.C.), 188; Thaxter (R.), 188; Toumey (J.W.), 242; Underwood (L.M.), 188, 189, 321; Wilson (W.P.), 58; Wortmann (J.), 58.
Pestalozziella **Andersoni,** 48.
Peucedanum bicolor, 286.
Peziza 15; arenaria, 22.
Phalaris arundinacea, 230.
Phloem, relations of, 308.
Phoma **ilicina,** 46.
Phyllotaxy abnormal, 159.
Phylogeny of Archegoniata, 257, 323.
Phytophthora infestans, 338.
Pimenta acris, 139; vulgaris, 139.
Pinus **Donnell-Smithii,** 199, 319.
Pisonia aculeata var. **macranthocarpa,** 198.
Plantago lanceolata, 157.
Plasmopara Geranii, 338; pygmaea, 338; viticola, 338.
Pleuropogon Californicum, 279; refractum, 278; Sabinei, 280.
Pogonia ophioglossoides, 230.
Poinciana regia, 133.
Poisoning plants, 189.
Poisonous action of distilled water, 274.
Polanisia, 322.
Polygonum acre, cleistogamy of, 273, 314.
Polyporus annosus, 15; officinale, 263.
Pontederia cordata, 230.
Postage on plants, 218.
Potamogetonaceae, 305.
Potamogeton crispus, 288; pectinatus, 127; perfoliatus var. 127; praelongus, 127; Robbinsii, 127; Spirillus, 127, 128.
Potentilla dissecta, 3; **Donnell-Smithii,** 3; Ehrenbergiana, 3; palustris, 230; Richardii, 3; tridentata, 229.
Pringle's collections, 58.
Prizes, botanical, 321.
Prothallium of Osmunda, 256.
Protoplasm, structure of living, 306.
Prunus Pumila, 229.
Psidium Guava, 138.
Psilostrophe, 322.
Psychotria Martiana, 12.
Pteridophytes, relationships of, 323.
Puccinia Caricis-strictae, 226; **Cyperi,** 226; **medusaeoides.** 226; ornata, 225; Stipae, synonymy of, 225.
Pyrrhopppus, 322.

Q

Quercus heterophylla, 263.

R

Rachiopteris, 172; aspera, 174; Grayi, 173; hirsuta, 173.
Ranunculus Flammula, 129, 130, 233; glaberrimus, 346; hederaceus, 285; hispidus, 285; lacustris, propagation of, 115; Macauleyi, 346.
Raphides, cause of acridity, 267.
Ravenelia **Cassiaecola,** 313; glandulaeformis, 314.
Respiration, simultaneous evolution of O and CO^2, 273.
Reviews: *Aveling:* Introduction to the study of botany, 211; *Bailey:* The nursery book, 185; *Baillon:* Histoire des plantes, 183; *Bergen:* Glimpses at the plant world, 317; *Brotherus & Sælan:* Musci Lapponiae Kolaenses, 271; *Campbell:* Isoetes echinospora, 349; *Coulter:* Flora of Texas, 268; *Drude:* Handbuch der geographische Botanik, 153; *Eggert:* Catalogue of St. Louis plants, 350; *Ellis & Everhart:* N. American Pyrenomycetes, 121; *Engelmann:* Botanisches Adressbuch, 217, 240; *Farlow & Seymour:* Host Index, 271; *Gray:* Revised manual, 90, 211; Forest trees of North America, 240; *Greene:* Flora Franciscana, 185; *Griffiths:* Diseases of crops, 120; *Hackel:* Grasses of dry climates, 87; *Higley & Raddin:* Flora of Cook county, Ills., 271; *Hillhouse:* Practical Botany, 210; *Hitchcock:* Catalogue of plants of Ames, Iowa, 88; *Holm:* Germination of some N. A. plants, 185; Underground structures of plants, 89; Vitality of annual plants, 350; *Jesup:* Flowering plants and higher cryptograms of Hanover, N. H., 186; *Kihlman:* Pflanzenbiologische Studien aus Russisch Lappland, 153; *Lazenby & Werner:* Catalogue of Ohio plants, 56; *Macoun:* Catalogue of Canadian plants, 32; *MacLeod:* Fertilization of flowers, 57; *Mix:* On a Kephir-like yeast, 270; *Pearson:* Canadian Hepaticae, 32; *Penhallow:* Botanical collector's gude, 317; *Richards:* Structure and development of Choreocolax, 270; *Richter:* Plantae Europaeae, 152; *Robinson:* Contributions from Gray Herbarium, 294; *Rose:* Contributions from National Herbarium, 293; *Sacardo:* Sylloge Fungorum, 316; *Sargent:* Silva of N. A., 30; *Sauvageau:* Sur les feuilles de quelques monocotyledons aquatiques, 242,

305; *Schulz:* Adaptation to pollination, 55; *Scribner:* Fungus diseases of the grape and other plants, 184; Mexican grasses, 294; *Setchell:* Notes on the species of Doassansia, 270; Saccorhiza dermatodea, 349; *Smith:* Enumeratio Plantarum Guatemalensium, 185; *Strasburger:* (see *Hillhouse*); *Thaxter:* North American Laboulbeniaceae, 120; Report of Conn. experiment station, 155; *Trelease:* Species of Epilobium, 182; The Missouri Botanical Garden, 56; *Von Tubeuf:* Samen, Fruchte und Keimlinge der Culturpflanzen, 242; *Watson:* Contributions to North American botany, 294; *Warming:* Podostemaceae, 238; *Weed:* Plants as rock-makers, 31; *Woolf:* Plants of Sidney, 295; *Zopf:* Pilze, 29.
Rhachiopteris, 172.
Rhacopteris, 172.
Rhamnus lanceolatus, 165.
Rhizogonium lacunosum, 173; reticulatum, 173; verticillatum, 173.
Rhizophora Mangle, 135.
Rhodora Canadensis, 232.
Rhopalomyces *candidus*, 19, 25; *cervinus*, 19, 20, 25; Cucurbitarum, 20, 25; elegans, 20, 21, 25; nigripes, 22, 25; *pallidus*, 19, 20; **strangulatus,** 21, 25.
Riccia, 143.
Riddellia, 322.
Robinia Pseudacacia, utilizing free nitrogen, 58.
Robinson, B. L., resignation, 188.
Roell's collections, 59.
Rollinia Sieberi, 137.
Rubus Chamaemorus, 126; occidentalis var. **grandiflora,** 3.
Rumex crispus, 157.

S

Sagittaria heterophylla, 128.
St. Croix region, flora of, 108, 126.
Salsola, 262.
Sanguinaria Canadensis, 159.
Salix Austinae, 106; Barclayi, 107; Breweri, 106; Brownii var. petraea, 107; Californica, 106, 107; cordata, 104, 107; Coulteri, 105; Drummondiana, 106; flavescens, 105; Geyeriana, 105; glauca, 107; Hookeriana, 104, 108; Humboldtiana, 102, vars. 102, 103; laevigata, 103; lasiandra, 103; lasiolepis, 104, 106; Lemmoni, 106; longifolia, 104; lucida, 103; macrocarpa, 105; Monica, 107; nigra, 102; pellita, 106; phlebophylla, 107; reticulata, 108; rostrata, 108; Scouleriana, 105; sessilifolia, 104; Sitchensis, 105, 106; tenera, 107; vestita, 108.
Sapota achras, 138.
Saprolegnia, 72, 73.
Sarcodes sanguinea, 54.
Saxifragaceae, anatomical characters, 58.
Saxifraga Virginiensis, 231.
Schinzia Alni, 262.
Schomburgk, R., †, 217.
Scirpus debilis, 128.
Sclerospora graminicola, 338.
Seaton, H. E., collections in Mexico, 217.
Sechium edule, 139.
Selaginella rupestris, 112.
Senecio Aschenbornianus, 101; **Donnell-Smithii** 100; Candelariae, 102; **Cobanensis,** 101; Ghiesbreghtii, 101, var. **pauciflorus,** 101; grandifolius, 101; Kermesinus, 102.
Serjania acuta, 192; Cambessedeana, 193; **psilophylla,** 191; **rhachiptera,** 192; **rufisepala,** 191; sordida, 191.
Setchell, W. A., appointment, 188.
Sicyos Deppei, 12; **longisepalus,** 11.
Sidalcea malvaeflora, 286.
Sigmoideomyces dispiroides, 22, 26.
Silene Grayi, 44; **Suksdorfii,** 44; Macounii, 286.
Silphium laciniatum, 114.
Sitilias 322.
Sleep-movements, influence of gravity on, 343.
Smilacina trifolia, 230.
Solanaceae from Guatemala, 144.
Solanum **Donnell-Smithii,** 144; olivaeforme, 13; rostratum, 149.
Solenophora **erubescens,** 197.
Spartina cynosuroides, 230; densiflora, 292; Gouini, 292; *gracilis*, 292; junciformis, 292.
Spathyema, 322.
Spectroscope in botanical studies, 256.
Spermaphytic flower, terminology, 178.
Sphaerotheca lanestris, 297.
Sphagnum, 324.
Sphenophyllum *Stephanense*, 175.
Spilanthes Beccabunga, 100; repens, 100.
Spiranthes cernua, 232; gracilis, 232.
Spirogyra, conjugation, 35.
Spondias lutea, 194; **Radlkoferi,** 194.
Sporobolus **pilosus,** 26.
Sporodesmium **sorisporioides,** 47.
Stapf, Otto, appointment, 90.
Stellaria longipes, 286.
Stevia compacta, 95.
Struthiopteris Germanica, 233.
Sturgis, W. C., appointment, 188.
Sugar in fungi, 34.
Swietenia Mahogoni, 137.
Symplocarpus, 322; foetidus, 230, 164.
Syncephalis, 201.
Systematic botany, future of, 243.

T

Talinum patens, 112; teretifolium, 112.
Tamarindus Indica, 140.
Taphrina Prunі, 266.
Technique, notes on, 71.
Tecoma radicans, mutilation of flowers, 314.
Tellima *nudicaulis*, 237; *pentandra*, 237; Williamsii, 237.
Terminalia catappa, 133.
Tetragonotheca **Guatemalensis,** 99; Texana, 99.
Thalictrum dioicum, 232; Fendleri, 285.
Thaspium aureum, 231.
Thaxter, Roland, appointment, 188.
Theobroma cacao, 140.
Thrinax argentea, 133.
Thysanocarpus pusillus, 286.
Tibouchina **Bourgeana,** 4.
Timothy, proliferation of, 346.
Tithonia tubaeformis, 100.
Tobacco, spot disease of, 321.
Torsions, DeVries on, 345.
Toumey, J. W., appointment, 242.
Transpiration, 260; acceleration of, 272; influence of anaesthetics, 28; influence on form, 343.
Trifolium involucratum, 286; microcephalum, 286.
Trillium recurvatum, 231; sesile, 163.
Triosteum perfoliatum, 65.
Triuris **brevistylis,** 14; diaphana, 14.

Troximon, 322.
Tubercles on roots of beans, 158; of Ceanothus, 262.

U

Ulodendron, 173.
Underwood, L. M., resignation and appointment, 188; collections, 189.
Uniola, anatomical structure of leaves, 219, 168, 275.
Uredineae, 225.
Uredo Fici, 289.
Uromyces caryophyllinus, 321; Caricis, 226; **Gentianae**, 227; perigynius, 226; Trifolii, 290.

V

Vaccinium Canadense, 232.
Vacuoles, origin of, 93.
Veratrum viride, 232.
Verbascum Blattaria, 157.
Vernonia leiocarpa, 95; Salvinae var. **canescens**, 95; trifloscula, 95.
Veronica Buxbaumii, 232.
Viola pubescens, 232.
Volutella **occidentalis**, 46; var. **minor**, 47.

W

Walnuts, English, 265.
Water-pore, abnormal, 235.
Webera nutans, 206.
West Indies, visit to, 130.
Wheat, artificial pollination of, 266.
Willardia, 294.
Willows, notes on N. Am., 102.
Wilson, W. P., election, 58.
Wistaria, 322.
Woodsia Ilvensis, 111; obtusa, 111.

Z

Zea canina, 294.
Zeitschrift fuer Pflanzenkrankheiten, 218.
Zexmenia **dulcis**, 99; scandens, 99; trachylepis, 100.
Zizia cordata, 287.
Zygopteris, 172.

INDEX TO AUTHORS.

Anderson, F. W., 113; (Ellis and) 45.
Andrews, Wm. E., 33, 347.
Arthur, J. C., 215, 225.
Atkinson, Geo. F., 61, 282, 313.

Bailey, L. H., 215.
Bailey, W. W., 311.
Barnes, C. R., 205, 235.
Barton, B. W., 150.
Beal, W. J., 57.
Bebb, M. S., 102, 121.
Blanchard, F., 241.
Bowers, Homer, 73.

Campbell, D. H., 37, 323.
Canby, Wm. M., 236.
Coulter, John M., 95, 144, 242; (and Rose) 27, 180.

Davenport, Geo. E., 53.
Davis, Bradley M., 149.
Davis, Chas. E., 115.
Dewey, L. H., 187.

Ellis, J. B., (& Anderson), 45.
Evans, W. H., 234.

Farlow, W. G., 179.
Foerste, Aug. F., 159.

Ganong, W. F., 123.

Halsted, B. D., 288, 303, 338.
Hill, E. J., 108, 126, 299.
Hitchcock, A. S., 130.
Holm, Theo., 87, 166, 219, 242, 274, 275.
Humphrey, J. E., 71.

Jepson, W. L., 297.

Kearney, T. H., 314.

MacMillan, Conway, 28, 149, 178, 272, 305, 308, 343.
Macoun, James M., 285.
Meehan, Thomas, 54, 176, 312.
Mottier, David M., 141.

Piper, Chas. V., 296.

Rand, Edward L., 318.
Riley, C. V., 334.
Robertson, Charles, 65.
Robinson, B. L., 43, 82, 114, 343.
Rose, J. N., 113. (Coulter &), 27, 180.
Rush, W. H., 208.

Saccardo, P. A., 153.
Schneck, Jacob, 312, 314.
Scribner, F. Lamson, 228.
Selby, Aug. D., 90, 148.
Smith, John Donnell, 1, 191.

Stokes, Alfred C., 49.
Swezey, Goodwin D., 147.

Thaxter, Roland, 14, 201.
Toumey, J. W., 236, 346.

Underwood, L. M., 268.

Vasey, George, 26, 145, 235, 292.

Watson, Sereno, 267, 311, 345.
White David, 172.
Williams, Thos. A., 348.
Wittrock, Veit, 85.
Woolson, Geo. C., 187.

ERRATA.

p. 22, line 7, for hyhæ read hyphæ.
p. 26, line 2, for inside read method.
p. 26, line 9, for Sigmiodeomyces read Sigmoideomyces.
p. 26, line 11, for when read where.
p. 62, line 3, for Colletotrichium read Colletotrichum.
p. 76, line 9 from bottom, for inclines read inclined.
p. 77, last line, *dele* not.
p. 100, line 12, for oxylepsis read oxylepis.
p. 107, line 10, insert S. after 17.
p. 137, line 3 from bottom, for sap read sop.
p. 138, line 3, for sap read sop.
p. 138, line 20, for savory read curry.
p. 139, line 12, for mashed read washed.
p. 139, line 4 from bottom, for ocara read ochra.
p. 139, footnote 41, for Lechium read Sechium.
p. 140, line 2, for pie read pea.
p. 140, line 5, for roots read nuts.
p. 140, line 15, for Lucca read Lucea.
p. 147, line 18 from bottom, *dele* n. sp.—The species was previously described in the *West American Scientist*.
p. 149, line 18 from bottom, for sasisfactory read satisfactory.
p. 188, line 22, insert Station after Experiment.
p. 199, line 16 from bottom, for Pirus read Pinus.
p. 210, line 13, insert translation of before Strasburger's.
p. 213, make $\begin{cases}\text{syncarpous}\\\text{apocarpous}\end{cases}$ follow compound.
p. 240, transpose the two footnotes.
p. 273, lines 6 and 9 from bottom, for King read Kirk.
p. 273, line 6 from bottom, for $4.50 read 45 sh.
p. 289, line 7, for gossypii read Gossypii.